



<i>EAN code</i>	<i>8034122370538</i>
<i>Model Code</i>	<i>FNPLS30W6SS-R Plus - wall - 30" (76cm) - inox - 600 CFM</i>
<i>Collection</i>	<i>Silence - NRS</i>

FEATURES AND PROPERTIES

<i>Materials/Finishes</i>	<i>Scotch brite stainless steel (AISI 304)</i>
<i>Lighting</i>	<i>Strip LED Dynamic Light (2700K - 5600K) Dimmable lighting</i>
<i>Control</i>	<i>Electronic control</i>
<i>Installation type</i>	<i>Wall</i>
<i>Ducting type</i>	<i>External ducting/Recirculating</i>
<i>Filters</i>	<i>Metallic grease filter, removable and washable Carbon.Zeo Microtech renewable filter (optional)</i>
<i>Dimensions</i>	<i>30 in</i>
<i>Features</i>	<i>NRS technology for a quieter kitchen Perimeter suction SRS Speed reduction system</i>

OPTIONAL ACCESSORIES

<i>Code</i>	<i>Description</i>
KACL.1039	Carbon.Zeo Microtech renewable filter
KACL.571#I	Extension H960 Wall - Inox
KACL.400	Silent / Conveyor NRS
105080053	Remote control

ELECTRICAL CONNECTION AND CONSUMPTION

Maximum consumption 340W
 Voltage/Frequency 110-120V 60Hz
 Connection type Hood comes standard with Nema 5-15P power cord

BLOWER PERFORMANCE

Motor 600 CFM



TECNICAL SPECS OF COOKERHOOD WITH 600 CFM NRS MOTOR

Motor Speed	SRS 2*		SRS 3*	
	1	2	3	4
CFM (rated at the motor)	210	295	395	600
Sones (estimated value)	1	2	3	4.25
Duct Size	6"	6"	6"	6"

*If activated SRS has 2 settings; 3 speed max & 2 speed max


WEIGHTS AND DIMENSIONS

Gross weight 80 lbs
 Net weight 69 lbs
 Packaging dimensions L 40 in H 30 in D 24 in
 Notes Recommended mounting height from cooking surface to hood bottom: 24" - 35"



Frontal view

Side view



Top view